

WILEY REIN, LLP FAX CTR Fax:202-719-7049

Mar 30 2007 15:35

P. 05

RECEIVED
CENTRAL FAX CENTER

MAR 30 2007

Application No. 10/808,257
Office action dated November 30, 2006
Response dated March 30, 2007**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows. This listing of claims replaces all prior versions and listings of claims in the application.

- 1 (previously presented). An ablation catheter comprising:
a catheter shaft, said catheter shaft comprising
a proximal portion; and
a distal portion, said distal portion being adapted to be inserted into a body cavity having tissue to be ablated and being disposed remotely from said proximal portion, said distal portion comprising an outer peripheral wall having an active region, wherein said distal portion has a cross-sectional configuration along said active region, wherein said cross-sectional configuration is adapted to bias said active region against the tissue to be ablated and wherein said cross-sectional configuration of said active region includes a flared outer peripheral wall.
- 2 (cancelled).
- 3 (withdrawn). The ablation catheter of claim 1, wherein said cross-sectional configuration of said active region is rectangular.
- 4 (withdrawn). The ablation catheter of claim 1, wherein said cross-sectional configuration of said active region is elliptical.
- 5 (previously presented). The ablation catheter of claim 1, wherein said cross-sectional configuration of said active region is a polygonal configuration.
- 6 (original). The ablation catheter of claim 5, wherein said polygonal configuration is selected from the group consisting of a D-shaped configuration, a triangular configuration, and a rectangular configuration.

Page 2 of 6

PAGE 54 * RCVD AT 3/30/2007 3:34:25 PM [Eastern Daylight Time] * SVR:USPTO-EFVRF-3413 * 0808-2738300 * CSD:262 716 7848 * DURATION (mm:ss):05:48

VILEY REIN LLP FAX CTR Fax: 202-719-7040

Mar 30 2007 15:35

P. 06

Application No. 10/808,257
Office action dated November 30, 2006
Response dated March 30, 2007

7 (previously presented). The ablation catheter of claim 1, wherein said cross-sectional configuration of said active region is a D-shaped configuration having an aspect ratio of at least 1.5:1.

8 (original). A catheter for diagnosing and treating tissue, the catheter comprising a catheter shaft having a proximal portion and a distal portion, wherein said distal portion comprises
an active region having a longitudinal axis; and
at least one lumen adapted to carry wires, optical fibers, and fluids for a variety of functional purposes,
and wherein said distal portion has a cross-sectional configuration that is asymmetric about at least one plane containing said longitudinal axis of said active region.

9 (original). The catheter of claim 8, wherein said distal portion is curved.

10 (withdrawn). The catheter of claim 8, wherein said distal portion is straight

11 (original). The catheter of claim 8, wherein said cross-sectional configuration of said distal portion defines a flattened outer peripheral wall that is adapted to be oriented against the tissue.

12 (original). The catheter of claim 11, wherein said cross-sectional portion of said distal portion is a polygon.

13 (withdrawn). The catheter of claim 12, wherein said cross-sectional portion of said distal portion is triangular.

14 (original). The catheter of claim 12 or 13, wherein said active region includes a plurality of portholes through said flattened outer peripheral wall.

Page 3 of 6

PAGE 4/0 * RCVD AT 3/30/2007 3:34:25 PM [Eastern Daylight Time] * EVE:USPTO-EFXRF-3/15 * ENR: 9736344 * CSID: 262 718 7618 * DURATION (mm:ss): 07:48

WILEY REIN, LLP FAX CTR Fax:202-719-7049

Mar 30 2007 15:36

P. 07

Application No. 10/608,257
Office action dated November 30, 2006
Response dated March 30, 2007

15 (original). The catheter of claim 11, wherein said cross-sectional configuration is a D-shaped cross-sectional configuration.

16 (original). The catheter of claim 15, wherein said D-shaped cross-sectional configuration has an aspect ratio of at least 1.5:1.

17 (original). The catheter of claim 15, wherein said D-shaped cross-sectional configuration has an aspect ratio of at least 2.2:1.

18 (original). The catheter of claim 15, wherein said active region includes a plurality of portholes through said flattened outer peripheral wall.

19 (cancelled).

Page 4 of 8

PAGE 7/8 * RCVD AT 3/30/2007 3:34:25 PM [Eastern Daylight Time] * SVR:USPTO-EFEXRF-3413 * DMS:3738306 * CSD:292 718 7818 * DURATION (mm:ss):02:58

PAGE 10/31 * RCVD AT 8/8/2007 6:17:49 PM [Eastern Daylight Time] * SVR:USPTO-EFEXRF-1/2 * DMS:2738300 * CSID: * DURATION (mm:ss):08:46

Copied from 11264649 on 08/14/2007